Journal of Animal Ecology 2001
70, 1099–1103

Index

Åberg, P. *see* **Hyder, K.**

Abramsky, Z., Rosenzweig, M.L. & Subach, A. The cost of interspecific competition in two gerbil species, 561

Adams, E.S. & Tschinkel, W.R. Mechanisms of population regulation in the fire ant *Solenopsis invicta*: an experimental study, 355

Agrawal, A.A. *see* **Fordyce, J.A.**

Aiken, J.J. *see* **Christians, J.K.**

Alanärä, A., Burns, M.D. & Metcalfe, N.B. Intraspecific resource partitioning in brown trout: the temporal distribution of foraging is determined by social rank, 980

Albon, S.D. *see* **Forchhammer, M.C.**

Allcock, A.L. *see* **Johnson, M.P.**

Anderson, C. *see* **Hatchwell, B.J.**

Anderson, D.J. *see* **Clifford, L.D.**

Aron, S., Keller, L. & Passera, L. Role of resource availability on sex, caste and reproductive allocation ratios in the Argentine ant *Linepithema humile*, 831

Azerefegne, F., Solbreck, C. & Ives, A.R. Environmental forcing and high amplitude fluctuations in the population dynamics of the tropical butterfly *Acraea acerata* (Lepidoptera: Nymphalidae), 1032

Baines, D. *see* **Moss, R.**

Barker, R.J. *see* **Hall, A.J.**

Barzman, M.S. & Daane, K.M. Host-handling behaviours in parasitoids of the black scale: a case for ant-mediated evolution, 237

Bascompte, J. *see* **Bjørnstad, O.N.**

Beckerman, A.P. *see* **Benton, T.G.**

Benton, T.G., Ranta, E., Kaitala, V. & Beckerman, A.P. Maternal effects and stability of population dynamics in noisy environments, 590

Berg, E. *see* **Wright, J.**

Berggren, Å., Carlson, A. & Kindvall, O. The effect of landscape composition on colonization success, growth rate and dispersal in introduced bush-crickets *Metrioptera roeseli*, 663

Bergman, C.M., Fryxell, J.M., Gates, C.C. & Fortin, D. Ungulate foraging strategies: energy maximizing or time minimizing?, 289

Beukema, J.J. *see* **Van Der Meer, J.**

Billick, I. Density dependence and colony growth in the ant species *Formica neorufibarbis*, 895

Bininda-Emonds, O.R.P., Gittleman, J.L. & Kelly, C.K. Flippers versus feet: comparative trends in aquatic and non-aquatic carnivores, 386

Bjørnstad, O.N. & Bascompte, J. Synchrony and second-order spatial correlation in host–parasitoid systems, 924

Blackburn, T.M. & Gaston, K.J. Linking patterns in macroecology, 338

Blackwell, P.G. *see* **Hatchwell, B.J.**

Blouin-Demers, G. & Weatherhead, P.J. An experimental test of the link between foraging, habitat selection and thermoregulation in black rat snakes *Elaphe obsoleta obsoleta*, 1006

Bohan, D.A., Glen, D.M. & Symondson, W.O.C. Spatial dynamics of predation by carabid beetles: a response to Mair *et al.* (2001), 877

Bohlin, T., Pettersson, J. & Degerman, E. Population density of migratory and resident brown trout (*Salmo trutta*) in relation to altitude: evidence for a migration cost, 112

Bomford, M. *see* **Duncan, R.P.**

Boon, T.W. *see* **Jennings, S.**

Boyce, M.S. *see* **Viljugrein, H.**

Boyd, I.L. & Murray, A.W.A. Monitoring a marine ecosystem using responses of upper trophic level predators, 747

Bradley, D.C. & Ormerod, S.J. Community persistence among stream invertebrates tracks the North Atlantic Oscillation, 987

Brandl, R. *see* **Brändle, M.**

Brändle, M. & Brandl, R. Species richess of insects and mites on trees: expanding Southwood, 491

Bruford, M.W. *see* **Groombridge, J.J.**

Brunel, E. *see* **Fournet, S.**

Bulman, C.R. *see* **Cowley, M.J.R.**

Burns, M.D. *see* **Alanärä, A.**

Caldow, R.W.G. & Furness, R.W. Does Holling's disc equation explain the functional response of a kleptoparasite?, 650

Caldow, R.W.G. *see* **Goss-Custard, J.D.**

Carlson, A. *see* **Berggren, Å.**

Case, T.J. *see* **Laakkonen, J.**

Castellano, M. *see* **Vernes, K.**

Chambers, S.J. *see* **Johnson, M.P.**

Chelgren, N.D. *see* **Sedinger, J.S.**

Christians, J.K., Evanson, M. & Aiken, J.J. Seasonal decline in clutch size in European starlings: a novel randomization test to distinguish between the timing and quality hypotheses, 1080

Clarke, E.D. *see* **Gurney, W.S.C.**

Clifford, L.D. & Anderson, D.J. Food limitation explains most clutch size variation in the Nazca booby, 539

Clinchy, M., Krebs, C.J. & Jarman, P.J. Dispersal sinks and handling effects: interpreting the role of immigration in common brushtail possum populations, 515

Clutton-Brock, T.H. *see* **Forchhammer, M.C.**

Cockburn, A. *see* **Green, D.J.**

Conibear, L. *see* **Duncan, R.P.**

Cortesero, A.M. *see* **Fournet, S.**

Cosner, C. *see* **Kshatriya, M.**

© 2001 British Ecological Society

Costa, D.P. *see* **Shaffer, S.A.**
Cowley, M.J.R., Thomas, C.D., Roy, D.B., Wilson, R.J., León-Cortés, J.L., Gutiérrez, D., Bulman, C.R., Quinn, R.M., Moss, D. & Gaston, K.J. Density–distribution relationships in British butterflies. I. The effect of mobility and spatial scale, 410
Cowley, M.J.R., Thomas, C.D., Wilson, R.J., León-Cortés, J.L., Gutiérrez, D. & Bulman, C.R. Density–distribution relationships in British butterflies. II. An assessment of mechanisms, 426
Cresswell, W. Relative competitive ability does not change over time in blackbirds, 218
Cresswell, W., Smith, R.D. & Ruxton, G.D. Absolute foraging rate and susceptibility to interference competition in blackbirds varies with patch conditions, 228

Daane, K.M. *see* **Barzman, M.S.**
De Kort, S.R. *see* **Wright, J.**
Debinski, D.M. *see* **Ries, L.**
Degerman, E. *see* **Bohlin, T.**
Dekker, R. *see* **Van Der Meer, J.**
Dhondt, A.A. *see* **Hames, R.S.**
Dinmore, T.A. *see* **Jennings, S.**
Donázar, J.A. *see* **Serrano, D.**
Doncaster, C.P. Healthy wrinkles for population dynamics: unevenly spread resources can support more users, 91
Doncaster, C.P., Rondinini, C. & Johnson, P.C.D. Field test for environmental correlates of dispersal in hedgehogs *Erinaceus europaeus*, 33
Duncan, R.P., Bomford, M., Forsyth, D.M. & Conibear, L. High predictability in introduction outcomes and the geographical range size of introduced Australian birds: a role for climate, 621
Duplisea, D.E. *see* **Jennings, S.**

Eggers, S. *see* **Ekman, J.**
Ekman, J., Eggers, S., Griesser, M. & Tegelström, H. Queuing for preferred territories: delayed dispersal of Siberian jays, 317
Elston, D.A. *see* **MacKinnon, J.L.**
Emes, C. *see* **Leaper, R.**
Engen, S., Sæther, B.-E. & Møller, A.P. Stochastic population dynamics and time to extinction of a declining population of barn swallows, 789
Evanson, M. *see* **Christians, J.K.**

Farnsworth, K.D. *see* **Ruxton, G.D.**
Ferns, P.N. *see* **Jervis, M.A.**
Fisher, R.N. *see* **Laakkonen, J.**
Fitton, D.M. *see* **Johnson, M.P.**
Forchhammer, M.C., Clutton-Brock, T.H., Lindström, J. & Albon, S.D. Climate and population density induce long-term cohort variation in a northern ungulate, 721
Fordyce, J.A. & Agrawal, A.A. The role of plant trichomes and caterpillar group size on growth and defence of the pipevine swallowtail *Battus philenor*, 997
Forero, MG. *see* **Serrano, D.**
Forsyth, D.M. *see* **Duncan, R.P.**
Fortin, D. *see* **Bergman, C.M.**
Fournet, S., Poinsot, D., Brunel, E., Nénon, J.P. & Cortesero, A.M. Do female coleopteran parasitoids enhance their reproductive success by selecting high-quality oviposition sites?, 1046
Fowlie, M.K. *see* **Hatchwell, B.J.**
Fox, J.W. & Morin, P.J. Effects of intra- and interspecific interactions on species responses to environmental change, 80
Fryxell, J.M. Habitat suitability and source–sink dynamics of beavers, 310
Fryxell, J.M. *see* **Bergman, C.M.**
Furness, R.W. *see* **Caldow, R.W.G.**

Gaillard, J.M. *see* **Hewison, A.J.M.**
García-Berthou, E. On the misuse of residuals in ecology: testing regression residuals vs. the analysis of covariance, 708
Gaston, K.J. *see* **Blackburn, T.M.**
Gaston, K.J. *see* **Cowley, M.J.R.**
Gaston, K.J. *see* **Lennon, J.J.**
Gates, C.C. *see* **Bergman, C.M.**
Gilbert, L., Norman, R., Laurenson, K.M., Reid, H.W. & Hudson, P.J. Disease persistence and apparent competition in a three-host community: an empirical and analytical study of large-scale, wild populations, 1053
Gittleman, J.L. *see* **Bininda-Emonds, O.R.P.**
Glen, D.M. *see* **Bohan, D.A.**
Godfray, H.C.J. *see* **Morris, R.J.**
Goss-Custard, J.D., West, A.D., Stillman, R.A., Le V. dit Durell, S.E.A., Caldow, R.W.G., Mcgrorty, S. & Nagarajan, R. Density-dependent starvation in a vertebrate without significant depletion, 955
Green, D.J. & Cockburn, A. Post-fledging care, philopatry, and recruitment in brown thornbills, 505
Greenwood, J.J.D. *see* **Lennon, J.J.**
Griesser, M. *see* **Ekman, J.**
Groombridge, J.J., Bruford, M.W., Jones, C.G. & Nichols, R.A. Evaluating the severity of the population bottleneck in the Mauritius kestrel *Falco punctatus* from ringing records using MCMC estimation, 401
Gurney, W.S.C., Speirs, D.C., Wood, S.N., Clarke, E.D. & Heath, M.R. Simulating spatially and physiologically structured populations, 881
Gutierrez, A.P. *see* **Rochat, J.**
Gutiérrez, D. *see* **Cowley, M.J.R.**

Hall, A.J., McConnell, B.J. & Barker, R.J. Factors affecting first-year survival in grey seals and their implications for life history strategy, 138
Hames, R.S., Rosenberg, K.V., Lowe, J.D. & Dhondt, A.A. Site reoccupation in fragmented landscapes: testing predictions of metapopulation theory, 182
Harrison, S.S.C. & Hildrew, A.G. Epilithic communities and habitat heterogeneity in a lake littoral, 692
Harvey, J.A. *see* **Jervis, M.A.**

© 2001 British Ecological Society,

Hatchwell, B.J., Anderson, C., Ross, D.J., Fowlie, M.K. & Blackwell, P.G. Social organization of cooperatively breeding long-tailed tits: kinship and spatial dynamics, 820
Haukioja, E. *see* **Lummaa, V.**
Hawkins, S.J. *see* **Hyder, K.**
Heath, M.R. *see* **Gurney, W.S.C.**
Heimpel, G.E. *see* **Jervis, M.A.**
Henttonen, H. *see* **Yoccoz, N.G.**
Hester, M. *see* **Pyle, P.**
Hewison, A.J.M. & Gaillard, J.M. Phenotypic quality and senescence affect different components of reproductive output in roe deer, 600
Hildrew, A.G. *see* **Harrison, S.S.C.**
Hildrew, A.G. *see* **Woodward, G.**
Hodder, K.H. *see* **Kenward, R.E.**
Hori, M. & Noda, T. Spatio-temporal variation of avian foraging in the rocky intertidal food web, 122
Houston, D.C *see* **Veasey, J.S.**
Hudson, P.J. *see* **Gilbert, L.**
Humphries, S. *see* **Ruxton, G.D.**
Humphries, S., Ruxton, G.D. & Van Der Meer, J. Unequal competitor ideal free distributions: predictions for differential effects of interference between habitats, 1062
Hyder, K., Åberg, P., Johnson, M.P. & Hawkins, S.J. Models of open populations with space-limited recruitment: extension of theory and application to the barnacle *Chthamalus montagui*, 853

Ives, A.R. *see* **Azerefegne, F.**
Iwasa, Y. *see* **Muko, S.**

Jackson, D.M., Trayhurn, P. & Speakman, J.R. Associations between energetics and over-winter survival in the short-tailed field vole *Microtus agrestis*, 633
Jaksic, F.M. *see* **Lima, M.**
Jarman, P.J. *see* **Clinchy, M.**
Jennings, S., Dinmore, T.A., Duplisea, D.E., Warr, K.J. & Lancaster, J.E. Trawling disturbance can modify benthic production processes, 459
Jennings, S., Pinnegar, J.K., Polunin, N.V.C. & Boon, T.W. Weak cross-species relationships between body size and trophic level belie powerful size-based trophic structuring in fish communities, 934
Jervis, M.A., Heimpel, G.E., Ferns, P.N., Harvey, J.A. & Kidd, N.A.C. Life-history strategies in parasitoid wasps: a comparative analysis of 'ovigeny', 442
Johnson, C.N. *see* **Vernes, K.**
Johnson, M.D. & Sherry, T.W. Effects of food availability on the distribution of migratory warblers among habitats in Jamaica, 546
Johnson, M.P. *see* **Hyder, K.**
Johnson, M.P., Allcock, A.L., Pye, S.E., Chambers, S.J. & Fitton, D.M. The effects of dispersal mode on the spatial distribution patterns of intertidal molluscs, 641
Johnson, P.C.D. *see* **Doncaster, C.P.**
Jokela, J. *see* **Lummaa, V.**
Jones, C.G. *see* **Groombridge, J.J.**
Julliard, R. *see* **Lima, M.**

Kaitala, V. *see* **Benton, T.G.**
Keller, L. *see* **Aron, S.**
Keller, M.A. *see* **Tenhumberg, B.**
Kelly, C.K. *see* **Bininda-Emonds, O.R.P.**
Kenward, R.E, Walls, S.S. & Hodder, K.H. Life path analysis: scaling indicates priming effects of social and habitat factors on dispersal distances, 1
Khazin, V. *see* **Wright, J.**
Kidd, N.A.C. *see* **Jervis, M.A.**
Kindvall, O. *see* **Berggren, Å.**
Knops, J.M.H. *see* **Koenig, W.D.**
Koenig, W.D. & Knops, J.M.H. Seed-crop size and eruptions of North American boreal seed-eating birds, 609
Koleff, P. *see* **Lennon, J.J.**
Krebs, C.J. *see* **Clinchy, M.**
Kristoffersen, A.B., Lingjærde, O.C., Stenseth, N.CHR. & Shimada, M. Non-parametric modelling of non-linear density dependence: a three-species host–parasitoid system, 808
Krüger, O. & Lindström, J. Habitat heterogeneity affects population growth in goshawk *Accipiter gentilis*, 173
Kshatriya, M., Cosner, C. & Van Jaarsveld, A.S. Early detection of declining populations using floor and ceiling models, 906

Laakkonen, J., Fisher, R.N. & Case, T.J. Effect of land cover, habitat fragmentation and ant colonies on the distribution and abundance of shrews in southern California, 776
Lambin, X. & Yoccoz, N.G. Adaptive precocial reproduction in voles: reproductive costs and multivoltine life-history strategies in seasonal environments, 191
Lambin, X. *see* **MacKinnon, J.L.**
Lancaster, J.E. *see* **Jennings, S.**
Langvatn, R. *see* **Mysterud, A.**
Laurenson, K.M. *see* **Gilbert, L.**
Le V Dit Durell, S.E.A. *see* **Goss-Custard, J.D.**
Leaper, R., Raffaelli, D., Emes, C. & Manly, B. Constraints on body-size distributions: an experimental test of the habitat architecture hypothesis, 248
Lennon, J.J., Koleff, P., Greenwood, J.J.D. & Gaston, K.J. The geographical structure of British bird distributions: diversity, spatial turnover and scale, 966
León-Cortés, J.L. *see* **Cowley, M.J.R.**
Lima, M., Julliard, R., Stenseth, N. Chr. & Jaksic, F.M. Demographic dynamics of a neotropical small rodent (*Phyllotis darwini*): feedback structure, predation and climatic factors, 761
Lindberg, M.S. *see* **Sedinger, J.S.**
Lindström, J. *see* **Forchhammer, M.C.**
Lindström, J. *see* **Krüger, O.**
Lingjærde, O.C. *see* **Kristoffersen, A.B.**
Lingjærde, O.C. *see* **Viljugrein, H.**
Lowe, J.D. *see* **Hames, R.S.**
Lummaa, V., Jokela, J. & Haukioja, E. Gender difference in benefits of twinning in pre-industrial humans: boys did not pay, 739

© 2001 British Ecological Society,

MacKinnon, J.L., Petty, S.J., Elston, D.A., Thomas, C.J., Sherratt, T.N. & Lambin, X. Scale invariant spatio-temporal patterns of field vole density, 101

Magrath, R.D. Group breeding dramatically increases reproductive success of yearling but not older female scrubwrens: a model for cooperatively breeding birds?, 370

Mair, J., Shirley, M.D.F., Rushton, S.P. & Port, G.R. Spatial dynamics of predation by carabid beetles on slugs, 875

Maklakov, A.A. *see* **Wright, J.**

Manly, B. *see* **Leaper, R.**

McCleery, R.H. *see* **Pettifor, R.A.**

McConnell, B.J. *see* **Hall, A.J.**

McGrorty, S. *see* **Goss-Custard, J.D.**

McLaughlin, R.L. Behavioural diversification in brook charr: adaptive responses to local conditions, 325

Metcalfe, N.B. *see* **Alanärä, A.**

Metcalfe, N.B. *see* **Veasey, J.S.**

Møller, A.P. *see* **Engen, S.**

Morin, P.J. *see* **Fox, J.W.**

Morris, R.J., Müller, C.B. & Godfray, H.C.J. Field experiments testing for apparent competition between primary parasitoids mediated by secondary parasitoids, 301

Moss, D. *see* **Cowley, M.J.R.**

Moss, D. *see* **Roy, D.B.**

Moss, R., Oswald, J. & Baines, D. Climate change and breeding success: decline of the capercaillie in Scotland, 47

Muko, S., Sakai, K. & Iwasa, Y. Size distribution dynamics for a marine sessile organism with space-limitation in growth and recruitment: application to a coral population, 579

Müller, C.B. *see* **Morris, R.J.**

Murray, A.W.A. *see* **Boyd, I.L.**

Mysterud, A., Langvatn, R., Yoccoz, N.G. & Stenseth, N.Chr. Plant phenology, migration and geographical variation in body weight of a large herbivore: the effect of a variable topography, 915

Naef-Daenzer, B., Widmer, F. & Nuber, M. Differential post-fledging survival of great and coal tits in relation to their condition and fledging date, 730

Nagarajan, R. *see* **Goss-Custard, J.D.**

Nénon, J.P. *see* **Fournet, S.**

Nichols, R.A. *see* **Groombridge, J.J.**

Nilsson, P.A. Predator behaviour and prey density: evaluating density-dependent intraspecific interactions on predator functional responses, 14

Nisbet, R.M. *see* **Parker, H.H.**

Noda, T. *see* **Hori, M.**

Noonburg, E.G. *see* **Parker, H.H.**

Norman, R. *see* **Gilbert, L.**

Nuber, M. *see* **Naef-Daenzer, B.**

Ormerod, S.J. *see* **Bradley, D.C.**

Oro, D. & Ruxton, G.D. The formation and growth of seabird colonies: Audouin's gull as a case study, 527

Oswald, J. *see* **Moss, R.**

Parker, H.H., Noonburg, E.G. & Nisbet, R.M. Models of alternative life-history strategies, population structure and potential speciation in salmonid fish stocks, 260

Passera, L. *see* **Aron, S.**

Perrins, C.M. *see* **Pettifor, R.A.**

Pettersson, J. *see* **Bohlin, T.**

Pettifor, R.A., Perrins, C.M. & McCleery, R.H. The individual optimization of fitness: variation in reproductive output, including clutch size, mean nestling mass and offspring recruitment, in manipulated broods of great tits *Parus major*, 62

Petty, S.J. *see* **MacKinnon, J.L.**

Pinnegar, J.K. *see* **Jennings, S.**

Poinsot, D. *see* **Fournet, S.**

Pollard, E. *see* **Roy, D.B.**

Polunin, N.V.C. *see* **Jennings, S.**

Port, G.R. *see* **Mair, J.**

Possingham, H.P. *see* **Tenhumberg, B.**

Prévot-Julliard, A.-C. *see* **Yoccoz, N.G.**

Pye, S.E. *see* **Johnson, M.P.**

Pyle, P., Sydeman, W.J. & Hester, M. Effects of age, breeding experience, mate fidelity and site fidelity on breeding performance in a declining population of Cassin's auklets, 1088

Quinn, R.M. *see* **Cowley, M.J.R.**

Raffaelli, D. *see* **Leaper, R.**

Ranta, E. *see* **Benton, T.G.**

Reid, H.W. *see* **Gilbert, L.**

Rendell, W.B. *see* **Robertson, R.J.**

Ries, L. & Debinski, D.M. Butterfly responses to habitat edges in the highly fragmented prairies of Central Iowa, 840

Robertson, R.J. & Rendell, W.B. A long-term study of reproductive performance in tree swallows: the influence of age and senescence on output, 1014

Rochat, J. & Gutierrez, A.P. Weather-mediated regulation of olive scale by two parasitoids, 476

Rondinini, C. *see* **Doncaster, C.P.**

Rosenberg, K.V. *see* **Hames, R.S.**

Rosenzweig, M.L. *see* **Abramsky, Z.**

Ross, D.J. *see* **Hatchwell, B.J.**

Rothery, P. *see* **Roy, D.B.**

Roy, D.B. *see* **Cowley, M.J.R.**

Roy, D.B., Rothery, P., Moss, D., Pollard, E. & Thomas, J.A. Butterfly numbers and weather: predicting historical trends in abundance and the future effects of climate change, 201

Rushton, S.P. *see* **Mair, J.**

Ruxton, G.D. *see* **Cresswell, W.**

Ruxton, G.D. *see* **Humphries, S.**

Ruxton, G.D. *see* **Oro, D.**

© 2001 British Ecological Society,

Ruxton, G.D., Humphries, S. & Farnsworth, K.D. Non-competitive phenotypic differences can have a strong effect on ideal free distributions, 25

Sæther, B.-E. *see* **Engen, S.**
Sakai, K. *see* **Muko, S.**
Sedinger, J.S., Lindberg, M.S. & Chelgren, N.D. Age-specific breeding probability in black brant: effects of population density, 798
Serrano, D., Tella, J.L., Forero, MG. & Donázar, J.A. Factors affecting breeding dispersal in the facultatively colonial lesser kestrel: individual experience vs. conspecific cues, 568
Shaffer, S.A., Costa, D.P. & Weimerskirch, H. Behavioural factors affecting foraging effort of breeding wandering albatrosses, 864
Sherratt, T.N. *see* **MacKinnon, J.L.**
Sherry, T.W. *see* **Johnson, M.D.**
Shimada, M. *see* **Kristoffersen, A.B.**
Shirley, M.D.F. *see* **Mair, J.**
Smith, R.D. *see* **Cresswell, W.**
Solbreck, C. *see* **Azerefegne, F.**
Speakman, J.R. *see* **Jackson, D.M.**
Speirs, D.C. *see* **Gurney, W.S.C.**
Stenseth, N.Chr. *see* **Kristoffersen, A.B.**
Stenseth, N.Chr. *see* **Lima, M.**
Stenseth, N.Chr. *see* **Mysterud, A.**
Stenseth, N.Chr. *see* **Viljugrein, H.**
Stenseth, N.Chr. *see* **Yoccoz, N.G.**
Stillman, R.A. *see* **Goss-Custard, J.D.**
Subach, A. *see* **Abramsky, Z.**
Sydeman, W.J. *see* **Pyle, P.**
Symondson, W.O.C. *see* **Bohan, D.A.**

Tegelström, H. *see* **Ekman, J.**
Tella, J.L. *see* **Serrano, D.**
Tenhumberg, B., Keller, M.A., Possingham, H.P. & Tyre, A.J. Optimal patch-leaving behaviour: a case study using the parasitoid *Cotesia rubecula*, 683
Thomas, C.D. *see* **Cowley, M.J.R.**
Thomas, C.J. *see* **MacKinnon, J.L.**
Thomas, J.A. *see* **Roy, D.B.**
Trayhurn, P. *see* **Jackson, D.M.**
Tschinkel, W.R. *see* **Adams, E.S.**
Tyre, A.J. *see* **Tenhumberg, B.**

Van Der Meer, J., Beukema, J.J. & Dekker, R. Long-term variability in secondary production of an intertidal bivalve population is primarily a matter of recruitment variability, 159
Van Der Meer, J. *see* **Humphries, S.**
Van Jaarsveld, A.S. *see* **Kshatriya, M.**
Veasey, J.S., Houston, D.C & Metcalfe, N.B. A hidden cost of reproduction: the trade-off between clutch size and escape take-off speed in female zebra finches, 20
Vernes, K., Castellano, M. & Johnson, C.N. Effects of season and fire on the diversity of hypogeous fungi consumed by a tropical mycophagous marsupial, 945
Viljugrein, H., Lingjærde, O.C., Stenseth, N.C. & Boyce, M.S. Spatio-temporal models of mink and muskrat in Canada during a quarter century, 671

Walls, S.S. *see* **Kenward, R.E.**
Wanink, J.H. & Zwarts, L. Rate-maximizing optimality models predict when oystercatchers exploit a cohort of the bivalve *Scrobicularia plana* over a 7-year time span, 150
Warr, K.J. *see* **Jennings, S.**
Weatherhead, P.J. *see* **Blouin-Demers, G.**
Weimerskirch, H. *see* **Shaffer, S.A.**
West, A.D. *see* **Goss-Custard, J.D.**
Widmer, F. *see* **Naef-Daenzer, B.**
Wilson, R.J. *see* **Cowley, M.J.R.**
Wood, S.N. *see* **Gurney, W.S.C.**
Woodward, G. & Hildrew, A.G. Invasion of a stream food web by a new top predator, 273
Wright, J., Berg, E., De Kort, S.R., Khazin, V. & Maklakov, A.A. Safe selfish sentinels in a cooperative bird, 1070

Yoccoz, N.G. *see* **Lambin, X.**
Yoccoz, N.G. *see* **Mysterud, A.**
Yoccoz, N.G., Stenseth, N.CHR., Henttonen, H. & Prévot-Julliard, A.-C. Effects of food addition on the seasonal density-dependent structure of bank vole *Clethrionomys glareolus* populations, 713

Zwarts, L. *see* **Wanink, J.H.**

© 2001 British Ecological Society,